



G80

DATASHEET

CHERRY G80

COMPACT KEYBOARD WITH BUILT-IN TOUCHPAD

The multifunctional TouchBoard is the perfect solution for limited spaces in situations requiring the functions of a "mouse". Particularly in hard industrial applications, the CHERRY keyboard shows what it is made of. The model combines outstanding quality with long service life and precise, easy-to-operate touchpad.



HIGHLIGHTS

- Individual keys with Gold Crosspoint contacts (MX technology)
- Designed for continuous usage - over 100 mill. confirmations per key
- Robust and reliable
- Space-saving and ergonomic
- Ideal for limited space and 19" applications
- Can be used with the standard drivers of the operating system
- USB keyboard: the following keys can be programmed freely using KeyM@n software (software macros) in 3 levels (single confirmation in combination with "CTRL", in combination with "SHIFT"): function keys "F1"- "F12", "INSERT", "DELETE", "POSITION1", "END", "PAGE-UP", "PAGE-DOWN", "PRINT", "PAUSE", comma and zero in the numeric field.

SCOPE OF DELIVERY

- Manual
- Keyboard

TECHNICAL DATA

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no

Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

PRODUCT VARIANTS

PART NUMBER	LAYOUT	COLOUR	SWITCHES
G80-11900LTMDE-2	DE (Germany)	Black	CHERRY MX BLACK
G80-11900LTMEU-2	EU (USA+ €-Symbol)	Black	CHERRY MX BLACK
G80-11900LTMFR-2	FR (France)	Black	CHERRY MX BLACK
G80-11900LTMUS-2	US (USA)	Black	CHERRY MX BLACK
G80-11900LTMXY-0	DE (Germany)	Black	CHERRY MX BLACK
G80-11900LUMBE-2	BE (Belgium)	Black	CHERRY MX BLACK
G80-11900LUMCH-2	CH (Switzerland)	Black	CHERRY MX BLACK
G80-11900LUMDE-2	DE (Germany)	Black	CHERRY MX BLACK
G80-11900LUMES-2	ES (Spain)	Black	CHERRY MX BLACK
G80-11900LUMEU-2	EU (USA+ €-Symbol)	Black	CHERRY MX BLACK
G80-11900LUMFA-2	PN (PanNordic)	Black	CHERRY MX BLACK
G80-11900LUMFR-2	FR (France)	Black	CHERRY MX BLACK
G80-11900LUMGB-2	GB (United Kingdom)	Black	CHERRY MX BLACK
G80-11900LUMPN-2	PN (PanNordic)	Black	CHERRY MX BLACK
G80-11900LTMDE-0	DE (Germany)	Grey	CHERRY MX BLACK
G80-11900LTMEU-0	EU (USA+ €-Symbol)	Grey	CHERRY MX BLACK
G80-11900LTMFR-0	FR (France)	Grey	CHERRY MX BLACK
G80-11900LTMUS-0	US (USA)	Grey	CHERRY MX BLACK
G80-11900	BE (Belgium)	Grey	CHERRY MX BLACK
G80-11900	FR (France)	Grey	CHERRY MX BLACK

PART NUMBER	LAYOUT	COLOUR	SWITCHES
G80-11900LUMCH-0	CH (Switzerland)	Grey	CHERRY MX BLACK
G80-11900LUMDE-0	DE (Germany)	Grey	CHERRY MX BLACK
G80-11900LUMES-0	ES (Spain)	Grey	CHERRY MX BLACK
G80-11900LUMEU-0	EU (USA+ €-Symbol)	Grey	CHERRY MX BLACK
G80-11900LUMGB-0	GB (United Kingdom)	Grey	CHERRY MX BLACK

G80 [G80-11900LTMDE-2]



Layout: DE (Germany)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LTMDE-2
EAN	4025112045127
UPC	840183600082

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LTMEU-2]



Layout: EU (USA+ €-Symbol)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LTMEU-2
EAN	4025112049514
UPC	840183600082

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LTMFR-2]



Layout: FR(France)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LTMFR-2
EAN	4025112055638
UPC	840183600082

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003(Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LTMUS-2]



Layout: US (USA)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LTMUS-2
EAN	4025112045134
UPC	840183600082

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LTMXY-0]



Layout: DE (Germany)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LTMXY-0
EAN	4025112060427
UPC	840183600082

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMBE-2]



Layout: BE (Belgium)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMBE-2
EAN	4025112050848
UPC	840183600112

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMCH-2]



Layout: CH (Switzerland)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMCH-2
EAN	4025112050824
UPC	840183600112

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMDE-2]



Layout: DE (Germany)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMDE-2
EAN	4025112049958
UPC	840183600112

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMES-2]



Layout: ES (Spain)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMES-2
EAN	4025112068003
UPC	840183600112

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMEU-2]



Layout: EU (USA+ €-Symbol)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMEU-2
EAN	4025112050763
UPC	840183600105

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMFA-2]



Layout: PN (PanNordic)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMFA-2
EAN	4025112077043
UPC	840183600112

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMFR-2]



Layout: FR(France)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMFR-2
EAN	4025112050800
UPC	840183600112

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003(Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMGB-2]



Layout: GB (United Kingdom)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMGB-2
EAN	4025112050787
UPC	840183600112

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMPN-2]



Layout: PN (PanNordic)
Colour: Black
Switches: CHERRY MX BLACK

Part number	G80-11900LUMPN-2
EAN	4025112087165
UPC	840183600112

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LTMDE-0]



Layout: DE (Germany)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900LTMDE-0
EAN	4025112022029
UPC	840183600075

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LTMEU-0]



Layout: EU (USA+ €-Symbol)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900LTMEU-0
EAN	4025112040177
UPC	840183600075

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LTMFR-0]



Layout: FR(France)

Colour: Grey

Switches: CHERRY MX BLACK

Part number	G80-11900LTMFR-0
EAN	4025112022043
UPC	840183600075

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LTMUS-0]



Layout: US (USA)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900LTMUS-0
EAN	4025112022067
UPC	840183600075

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	- USB-A - PS/2

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900]



Layout: BE (Belgium)

Colour: Grey

Switches: CHERRY MX BLACK

Part number	G80-11900
EAN	4025112050770
UPC	840183600099

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900]



Layout: FR(France)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900
EAN	4025112050770
UPC	840183600099

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMCH-0]



Layout: CH (Switzerland)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900LUMCH-0
EAN	4025112050817
UPC	840183600099

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMDE-0]



Layout: DE (Germany)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900LUMDE-0
EAN	4025112048616
UPC	840183600099

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMES-0]



Layout: ES (Spain)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900LUMES-0
EAN	4025112068720
UPC	840183600099

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMEU-0]



Layout: EU (USA+ €-Symbol)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900LUMEU-0
EAN	4025112050756
UPC	840183600099

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-11900LUMGB-0]



Layout: GB (United Kingdom)
Colour: Grey
Switches: CHERRY MX BLACK

Part number	G80-11900LUMGB-0
EAN	4025112050770
UPC	840183600099

PRODUCT INFORMATION

Dimensions and weight (without packaging)	415 mm × 193 mm × 37 mm 1006 g
Dimensions and weight (including packaging)	445 mm × 250 mm × 45 mm 1186 g
Model number	MX11900
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- BSMI - CE - cURus - FCC - VCCI - VDE - China RoHS - UKCA - ICES-003 (Canada)
Software support	CHERRY KEYS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	36 mA
Keyboard format	Full-size (100%)
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

© Cherry Europe GmbH
Cherrystraße 2 · 91275 Auerbach/OPf. · Germany
cherry-world.com · cherry.de

Sales Support · Technischer Support · eHealth Support
+49 9643 - 2061 - 100
www.cherry.de/de-de/kontakt

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products.