




G80

DATASHEET

CHERRY G80

SMALL DIMENSIONS AND TOP PERFORMANCE!

Standard? Yes! Boring? No - the compact design of the 19 inch PC keyboard is highly distinctive. For space-saving applications and optimum longevity requirements.



HIGHLIGHTS

- Individual keys with Gold Crosspoint contacts (MX technology)
- Perfect key feeling
- High-quality keyboard for outstanding writing performance, fulfilling even the highest demands
- Extremely high service life of individual keys



SCOPE OF DELIVERY

- Manual
- Keyboard

TECHNICAL DATA

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 920 g
Dimensions and weight (including packaging)	460 mm × 270 mm × 50 mm 1190 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA

Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

PRODUCT VARIANTS

PART NUMBER	LAYOUT	COLOUR	SWITCHES
G80-1800LPCDE-2	DE (Germany)	Black	CHERRY MX2A BLACK
G80-1800LPCEU-2	EU (USA+ €-Symbol)	Black	CHERRY MX2A BLACK
G80-1800LPCGB-2	GB (United Kingdom)	Black	CHERRY MX2A BLACK
G80-1800LPCDE-0	DE (Germany)	Grey	CHERRY MX2A BLACK
G80-1800LPCES-0	ES (Spain)	Grey	CHERRY MX2A BLACK
G80-1800LPCEU-0	EU (USA+ €-Symbol)	Grey	CHERRY MX2A BLACK
G80-1800LPCFR-0	FR (France)	Grey	CHERRY MX2A BLACK
G80-1800LPCGB-0	GB (United Kingdom)	Grey	CHERRY MX2A BLACK
G80-1800LPCIT-0	IT (Italy)	Grey	CHERRY MX2A BLACK

G80 [G80-1800LPCDE-2]



Layout: DE (Germany)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCDE-2
EAN	4025112065040
UPC	840183600167

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-1800LPCEU-2]



Layout: EU (USA+ €-Symbol)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCEU-2
EAN	4025112064975
UPC	840183600167

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-1800LPCGB-2]



Layout: GB (United Kingdom)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCGB-2
EAN	4025112072031
UPC	840183600167

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-1800LPCDE-0]



Layout: DE (Germany)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCDE-0
EAN	4025112064968
UPC	840183600136

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-1800LPCES-0]



Layout: ES (Spain)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCES-0
EAN	4025112072000
UPC	840183600143

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-1800LPCEU-0]



Layout: EU (USA+ €-Symbol)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCEU-0
EAN	4025112064937
UPC	840183600150

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-1800LPCFR-0]



Layout: FR(France)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCFR-0
EAN	4025112064951
UPC	840183600174

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-1800LPCGB-0]



Layout: GB (United Kingdom)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCGB-0
EAN	4025112064944
UPC	840183600181

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-1800LPCIT-0]



Layout: IT (Italy)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-1800LPCIT-0
EAN	4025112073335
UPC	840183600198

PRODUCT INFORMATION

Dimensions and weight (without packaging)	405 mm × 180 mm × 44 mm 991 g
Dimensions and weight (including packaging)	470 mm × 270 mm × 55 mm 1226 g
Model number	MX 1800
Warranty	2-year statutory warranty + 1-year manufacturer's warranty
Product approvals	- CE - cURus - FCC - VDE - UKCA - China RoHS
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	ABS
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Max. current consumption (mA) of keyboard	16 mA
Keyboard format	Compact (96%)
Integrated metal plate	yes
N-Key Rollover	no
Anti-ghosting	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

© Cherry Europe GmbH
Cherrystraße 2 · 91275 Auerbach/OPf. · Germany
cherry-world.com · cherry.de

Sales Support · Technischer Support · eHealth Support
+49 9643 - 2061 - 100
www.cherry.de/de-de/kontakt

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products.