



G80

DATASHEET

CHERRY G80

ACCURATE AND RELIABLE EVEN AFTER YEARS OF SERVICE

The timeless keyboard for outstanding writing performance, fulfilling even the highest demands. Durable, precise and reliable. Tried-and-tested millions of times over. The G80-3000 standard PC keyboard is based on reliable MX technology with Gold Crosspoint contacts. In black or gray.



HIGHLIGHTS

- Individual keys with Gold Crosspoint contacts (MX technology)
- Designed for continuous usage - over 50 mill. confirmations per key
- Robust and reliable
- Space-saving and ergonomic
- Ideal for limited space and 19" applications
- Can be used with the standard drivers of the operating system
- USB keyboard: the following keys can be programmed freely using KeyM@n software (software macros): function keys 'F1'-'F12', 'INSERT', 'DELETE', 'POSITION1', 'END', 'PAGE-UP', 'PAGE-DOWN', 'PRINT', 'PAUSE', 'ROLL', comma and zero in the numeric field.

SCOPE OF DELIVERY

- Keyboard
- Short Manual

TECHNICAL DATA

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 935 g
Dimensions and weight (including packaging)	500 mm × 255 mm × 50 mm 1150 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert

Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

PRODUCT VARIANTS

PART NUMBER	LAYOUT	COLOUR	SWITCHES
G80-3000LPCDE-2	DE (Germany)	Black	CHERRY MX2A BLACK
G80-3000LPCES-2	ES (Spain)	Black	CHERRY MX2A BLACK
G80-3000LPCEU-2-	EU (USA+ €-Symbol)	Black	CHERRY MX2A BLACK
G80-3000LPCEU-2	EU (USA+ €-Symbol)	Black	CHERRY MX2A BLACK
G80-3000LPCGB-2	GB (United Kingdom)	Black	CHERRY MX2A BLACK
G80-3000LPCKR-2	KR (Korea)	Black	CHERRY MX2A BLACK
G80-3000LPCXX-2	XX (unprinted)	Black	CHERRY MX2A BLACK
G80-3000LPCXY-2	XX (unprinted)	Black	CHERRY MX2A BLACK
G80-3000LSCDE-2	DE (Germany)	Black	CHERRY MX BLUE
G80-3000LSCEU-2	EU (USA+ €-Symbol)	Black	CHERRY MX BLUE
G80-3000LSCGB-2	GB (United Kingdom)	Black	CHERRY MX BLUE
G80-3000LSCRC-2-	RC (English (US) / Chinese)	Black	CHERRY MX BLUE
G80-3000LXCEU-2	EU (USA+ €-Symbol)	Black	CHERRY MX BROWN
G80-3000	CD (Canada)	Grey	CHERRY MX2A BLACK
G80-3000LPCDE-0	DE (Germany)	Grey	CHERRY MX2A BLACK
G80-3000LPCES-0	ES (Spain)	Grey	CHERRY MX2A BLACK
G80-3000LPCEU-0	EU (USA+ €-Symbol)	Grey	CHERRY MX2A BLACK
G80-3000LPCFR-0	FR (France)	Grey	CHERRY MX2A BLACK
G80-3000LPCGB-0	GB (United Kingdom)	Grey	CHERRY MX2A BLACK
G80-3000LPCKR-0	KR (Korea)	Grey	CHERRY MX2A BLACK

PART NUMBER	LAYOUT	COLOUR	SWITCHES
G80-3000LPCRB-0	XX (unprinted)	Grey	CHERRY MX2A BLACK
G80-3000LPCRC-0	RC (English (US) / Chinese)	Grey	CHERRY MX2A BLACK
G80-3000LPCXX-0	XX (unprinted)	Grey	CHERRY MX2A BLACK
G80-3000LSCDE-0	DE (Germany)	Grey	CHERRY MX BLUE
G80-3000LSCEU-0	EU (USA+ €-Symbol)	Grey	CHERRY MX BLUE
G80-3000LSCGB-0	GB (United Kingdom)	Grey	CHERRY MX BLUE
G80-3000LXCEU-0	EU (USA+ €-Symbol)	Grey	CHERRY MX BROWN

G80 [G80-3000LPCDE-2]



Layout: DE (Germany)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCDE-2
EAN	4025112058547
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCES-2]



Layout: ES (Spain)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCES-2
EAN	4025112058578
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCEU-2-]



Layout: EU (USA+ €-Symbol)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCEU-2-
EAN	4025112061134
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCEU-2]



Layout: EU (USA+ €-Symbol)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCEU-2
EAN	4025112061073
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCGB-2]



Layout: GB (United Kingdom)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCGB-2
EAN	4025112061646
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCKR-2]



Layout: KR (Korea)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCKR-2
EAN	4025112088773
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCXX-2]



Layout: XX (unprinted)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCXX-2
EAN	4025112061127
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCXY-2]



Layout: XX (unprinted)
Colour: Black
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCXY-2
EAN	4025112061134
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LSCDE-2]



Layout: DE (Germany)
Colour: Black
Switches: CHERRY MX BLUE

Part number	G80-3000LSCDE-2
EAN	4025112063381
UPC	840183600211

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BLUE



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	50 cN
Initial force	25 cN

G80 [G80-3000LSCEU-2]



Layout: EU (USA+ €-Symbol)
Colour: Black
Switches: CHERRY MX BLUE

Part number	G80-3000LSCEU-2
EAN	4025112067020
UPC	840183600211

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BLUE



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	50 cN
Initial force	25 cN

G80 [G80-3000LSCGB-2]



Layout: GB (United Kingdom)
Colour: Black
Switches: CHERRY MX BLUE

Part number	G80-3000LSCGB-2
EAN	4025112066290
UPC	840183600228

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	50.5 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BLUE



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	50 cN
Initial force	25 cN

G80 [G80-3000LSCRC-2-]



Layout: RC (English (US) / Chinese)
Colour: Black
Switches: CHERRY MX BLUE

Part number	G80-3000LSCRC-2-
EAN	4025112073854
UPC	840183600211

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BLUE



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	50 cN
Initial force	25 cN

G80 [G80-3000LXCEU-2]



Layout: EU (USA+ €-Symbol)
Colour: Black
Switches: CHERRY MX BROWN

Part number	G80-3000LXCEU-2
EAN	4025112067808
UPC	840183600242

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A


TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BROWN



LAYOUT

RGB	no
Cover colour	transparent
Actuation force	45 cN
Initial force	30 cN

G80 [G80-3000]



Layout: CD (Canada)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000
EAN	4025112076121
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 935 g
Dimensions and weight (including packaging)	500 mm × 255 mm × 50 mm 1150 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCDE-0]



Layout: DE (Germany)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCDE-0
EAN	4025112058530
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCES-0]



Layout: ES (Spain)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCES-0
EAN	4025112058561
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCEU-0]



Layout: EU (USA+ €-Symbol)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCEU-0
EAN	4025112058585
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCFR-0]



Layout: FR(France)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCFR-0
EAN	4025112058592
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCGB-0]



Layout: GB (United Kingdom)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCGB-0
EAN	4025112058608
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCKR-0]



Layout: KR (Korea)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCKR-0
EAN	4025112092992
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCRB-0]



Layout: XX (unprinted)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCRB-0
EAN	4025112061813
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCRC-0]



Layout: RC (English (US) / Chinese)

Colour: Grey

Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCRC-0
EAN	4025112076145
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LPCXX-0]



Layout: XX (unprinted)
Colour: Grey
Switches: CHERRY MX2A BLACK

Part number	G80-3000LPCXX-0
EAN	4025112061813
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX2A BLACK



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	60 cN
Initial force	30 cN

G80 [G80-3000LSCDE-0]



Layout: DE (Germany)
Colour: Grey
Switches: CHERRY MX BLUE

Part number	G80-3000LSCDE-0
EAN	4025112058660
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BLUE



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	50 cN
Initial force	25 cN

G80 [G80-3000LSCEU-0]



Layout: EU (USA+ €-Symbol)

Colour: Grey

Switches: CHERRY MX BLUE

Part number	G80-3000LSCEU-0
EAN	4025112058677
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BLUE



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	50 cN
Initial force	25 cN

G80 [G80-3000LSCGB-0]



Layout: GB (United Kingdom)
Colour: Grey
Switches: CHERRY MX BLUE

Part number	G80-3000LSCGB-0
EAN	4025112058684
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A

TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BLUE



LAYOUT

RGB	no
Cover colour	Black
Bottom housing colour	Black
Actuation force	50 cN
Initial force	25 cN

G80 [G80-3000LXCEU-0]



Layout: EU (USA+ €-Symbol)
Colour: Grey
Switches: CHERRY MX BROWN

Part number	G80-3000LXCEU-0
EAN	4025112061806
UPC	840183600204

PRODUCT INFORMATION

Dimensions and weight (without packaging)	470 mm × 195 mm × 44 mm 997 g
Dimensions and weight (including packaging)	505 mm × 255 mm × 50 mm 1184 g
Model number	MX3000
Warranty	2 years warranty
Product approvals	- BSMI - CE - cURus - FCC - UKCA - China RoHS - VDE
Operating system	Windows
System Requirements-Hardware	USB-A


TEMPERATURE

Min. operating temperature	0 °C
Max. operating temperature	50 °C

KEYBOARD

Keycap material	POM
Key labeling	Laser marking + UV coating
USB-Hub	no
Illumination	No
Adjustable feet	integriert
Status LEDs	no
Max. current consumption (mA) of keyboard	500 mA
Keyboard format	Full-size (100%)
Integrated metal plate	no
N-Key Rollover	no
Anti-ghosting	no
Hotswap	no

SWITCHES: CHERRY MX BROWN



LAYOUT

RGB	no
Cover colour	transparent
Actuation force	45 cN
Initial force	30 cN

© Cherry Europe GmbH

Cherrystraße 2 · 91275 Auerbach/OPf. · Germany

cherry-world.com · cherry.de

Sales Support · Technischer Support · eHealth Support

+49 9643 - 2061 - 100

www.cherry.de/de-de/kontakt

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products.